

Express Mail Label No. EV434014676US  
Appl. No. 09/532,483  
Amdt. dated August 19, 2004  
Reply to Office action of May 19, 2004

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended): A method of transmitting content, comprising the steps of opening a socket to a manager, the opening being performed by a first web server agent running on a first computer in a web service system if the first web server agent is not able to open a socket to a second web server agent running on a second computer in the web service system;

sending a message from the first web server agent to the second web server agent via the manager, the message requesting that the second web server agent open a socket to the first web server agent;

using the socket opened by the second web server agent to send a further message from the first web server agent to the second web server agent;

identifying, by a the first web server agent running on a first computer in a web service system, a portion of a file for transmission to a the second web server agent running on a second computer in the web service system, the portion being less than the whole file, the web service system providing web pages in response to web page requests, the first and second web server agents each providing an interface between the web service system and the first and second computers respectively; and

transmitting the portion of the file from the first web server agent to the second web server agent; and storing, by the second web server agent, the portion of the transmitted file.

2. (Canceled)

3. (Original): The method of claim 1 further comprising the step of repeating the identifying, transmitting, and storing steps.

4. (Original): The method of claim 3 wherein the identifying step comprises the step of identifying a portion of the file that was not previously transmitted.

5. (Original): The method of claim 1 further comprising the step of repeating the identifying, transmitting, and storing steps, and wherein the identifying step comprises the step of identifying a portion of the file containing content added subsequent to any previous identifying step.

6. (Original): The method of claim 1, further comprising, before the identifying step, the step of executing a program that operates on the file.

7. (Previously Presented): The method of claim 1, wherein the identifying step comprises identifying, by the first web server agent, a portion of the file, which comprises a log file about user requests to the web server.

8. (Previously Presented): A method of transmitting content, comprising the steps of:  
determining, by a first web server agent running on a first computer in a web service system, that a first file with a first name was renamed to a second name such that the first file has the second name as a file name thereof, and a second file has the first name as a file name thereof, the web service system providing web pages in response to web page requests;  
identifying the first file having the second name;  
notifying a second web server agent running on a second computer in the web service system that the first file was renamed;  
transmitting a portion of the first file from the first web server agent to a second web server agent, the portion of the first file being less than the whole first file;  
identifying the second file having the first name;  
transmitting a portion of the second file from the first web server agent to the second web server agent.

9. (Canceled):

10. (Canceled):

11. (Canceled):

12. (Original): The method of claim 1 wherein the identifying step comprises the step of identifying a portion of the file that was not previously transmitted.

13. (Previously Presented): The method of claim 8 further comprising the step of repeating the identifying, transmitting, and storing steps, and wherein the identifying step comprises the step of identifying a portion of the file containing content added subsequent to any previous identifying step.

14. (Previously Presented): The method of claim 8, further comprising, before the identifying step, the step of executing a program that operates on the file.

15. (Previously Presented): The method of claim 8, wherein the identifying step comprises identifying, by the first web server agent, at least a portion of the file, which comprises a log file about user requests to the web server.

16. (Currently Amended): A method of transmitting content, comprising the steps of:  
opening a socket to a manager, the opening being performed by a first web server agent running on a first computer in a web service system if the first web server agent is not able to open a socket to a second web server agent running on a second computer in the web service system;

sending a message from the first web server agent to the second web server agent via the manager, the message requesting that the second web server agent open a socket to the first web server agent;

using the socket opened by the second web server agent to send a further message from the first web server agent to the second web server agent;

identifying, by a the first web server agent running on a first computer in a web service system, a portion of a file for transmission to a second web server agent running on a second

~~computer in the web service system, the portion of the file being less than the whole file, the web service system providing web pages in response to web page requests, the first web server agent providing an interface between the web service system and the first computer;~~

transmitting the portion of the file from the first web server agent to the second web server agent; and

providing by the second web server agent, the received portion of transmitted file as input to a computer program.

17. (Currently Amended): A method of transmitting content, comprising the steps of:  
opening a socket to a manager, the opening being performed by a first web server agent running on a first computer in a web service system if the first web server agent is not able to open a socket to a second web server agent running on a second computer in the web service system;

sending a message from the first web server agent to the second web server agent via the manager, the message requesting that the second web server agent open a socket to the first web server agent;

using the socket opened by the second web server agent to send a further message from the first web server agent to the second web server agent;

identifying, by a ~~the~~ first web server agent ~~running on a first computer in the web service system, a computer program, the web service system providing web pages in response to web page requests, the first web server agent providing an interface between the web service system and the first computer;~~

running by the first web server agent the computer program;

transmitting the output of the computer program from the first web server agent to a ~~the~~ second web server agent ~~running on a second computer in the web service system;~~ and

providing by the second web server agent, the received transmitted output as input to a computer program.

18. (Canceled):

19. (Previously Presented): A computer program for transmitting content embodied on a computer-readable medium, comprising:

an identification code segment for identifying, by a first web server agent running on a first computer in a web service system, a portion of a file for transmission to a second web server agent running on a second computer in the web service system, ~~the portion of the file being less than the whole file, the web service system providing web pages in response to web page requests,~~ the first and second web server agents each providing an interface between the web service system and the first and second computers respectively;

a transmitting code segment for transmitting the portion of the file from the first web server agent to the second web server agent;

a socket opening segment for opening a socket to a manager, the opening being performed by the first web server agent if the first web server agent is not able to open a socket to the second web server agent;

a message sending segment for sending a message from the first web server agent to the second web server agent via the manager, the message requesting that the second web server agent open a socket to the first web server agent; and

an additional message sending segment for using the socket opened by the second web server agent to send a further message from the first web server agent to the second web server agent..

20. (Canceled)

21. (Previously Presented): The method of claim 6, wherein the program resolves an IP address into a domain name service name.

22. (Previously Presented) The method of claim 8, further comprising:  
using the first file as an archive after the determining step;

applying continuous updates to the second file after the determining step.

23. (Previously Presented) The method of claim 8, wherein the notifying step includes instructing the second web server to rename the first file on the second web server.

24. (Previously Presented) The method of claim 16, further comprising storing the transmitted file on the second computer with a file name that includes a name of the first computer as a portion thereof.

25. (Previously Presented) The method of claim 16, wherein the identifying and transmitting steps are implemented using JAVA methods, and the second web server agent receives the portion of the transmitted file using a further JAVA method.

26. (Previously Presented): The method of claim 17, wherein the identifying, running and transmitting steps are implemented using JAVA methods.

27. (New) A method for communication between first and second web server agents, comprising the steps of:

opening a socket to a manager, the opening being performed by the first web server agent if the first web server agent is not able to open a socket to the second web server agent;

sending a message from the first web server agent to the second web server agent via the manager, the message requesting that the second web server agent open a socket to the first web server agent; and

using the socket opened by the second web server agent to send a further message from the first web server agent to the second web server agent.